

► Professional Household Scale Supplier

Digital Kitchen scale, bathroom scale, travel luggage scale, fishing scale, jewelry scale, baby scale, pets scale, talking scale and bluetooth scale, travel belt with lock etc.

► Over 16 years experience

to deal with all kinds of household scales

► Main market:

Europe, Americas, Australasia, Middle East, etc.

► All products are compliant with local market requirements.

CE, RoHS, FCC etc basic requirement is no any problem.

► Production capacity:

Over 200000 units monthly.

► OEM or ODM projects are welcome!

PAIBON DEVELOPMENT CO.,LTD  
ZHONGSHAN PAIBON ELECTRONIC TECH. CO.,LTD  
AINICIA GROUP CO., LTD

Address: No.37-1 Industrial Avenue, Banfu Town, Zhongshan City, Guangdong Province, China

Tel: 86-760- 8633 8260

Fax:86-760-8693 8170

E-mail: [nick@paibon.com](mailto:nick@paibon.com)

Web: [www.paibonscale.com](http://www.paibonscale.com)

[www.paibon.com](http://www.paibon.com) [www.ainicia-group.com](http://www.ainicia-group.com)

ISO9001 BSCI CE FC RoHS REACH



[www.paibonscale.com](http://www.paibonscale.com)

[www.paibon.com](http://www.paibon.com)

[www.ainicia-group.com](http://www.ainicia-group.com)



BATHROOM SCALE



# BLUETOOTH SCALE



APP Download  
(IOS&Android)



Model No.: **BT 2298**


High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm/R20  
Capacity/Division:180kg/100g  
Unit: kg, lb  
LCD size:75x31mm  
Option: Blue backlit  
To Scan QR Code to get the available APP  
Step on the scale to weigh directly  
Auto zero- off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

**Bluetooth function**  
Weight, fat, water, muscle, bone, calorie, BMI etc.

Product size:300x300x26mm  
Gift box size:328X328X43mm  
Carton size:345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP:10400pcs  
40'HQ:12200pcs



APP with over 20 languages:  
English, French, German, Spanish, Italian, Japanese, Korean, Portuguese etc.



TUYA

AiFit

# BLUETOOTH SCALE

Model No.: **BT2293**

High precision strain gauge sensors system  
Tempered glass platform:280x270x6mm  
Capacity/Division:180kg/100g  
Unit: kg, lb  
LCD size:68x28mm  
Step on the scale to weigh directly  
To Scan QR Code to get the available APP  
Auto zero- off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

**Bluetooth function**  
Weight, fat, water, muscle, bone, calorie, BMI etc.



Product size:280x270x25mm  
Gift box size:308X320X55mm  
Carton size:325X235X335mm  
Qty/Ctn: 4pcs  
N.W.: 5.5kg/ctn G.W.: 6.5kg/ctn  
20'GP: 4480pcs 40'GP:9280pcs  
40'HQ: 10880pcs



Model No.: **BT2299**

High precision strain gauge sensors system  
Tempered glass platform:280x280x5mm  
Capacity:180kg/100g  
Unit:kg,lb  
LCD size:75x31mm  
Auto zero-off  
Over load indication/Low battery indication  
Power: 2X1.5V AAA batteries

**Bluetooth Function:**  
Weight, fat, water, muscle, bone, calorie, BMI etc

Product size: 280X280X23mm  
Gift box size: 296X307X45mm  
Carton size: 310x200x325mm  
QTY: 4PCS/CTN  
N.W.: 6.4kgs G.W.: 6.8kgs  
20'GP:5600pcs,40'GP:11500pcs  
40'HQ:13500pcs





# BLUETOOTH SCALE

Model No.: **BT 2294**

High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm/R20  
Capacity/Division:180kg/100g  
Unit: kg, lb  
LED size:75x31mm  
To Scan QR Code to get the available APP  
Step on the scale to weigh directly  
Auto zero- off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

Product size: 312x285x25mm  
Color box size: 335x305x45mm  
Carton size: 350x240x325mm  
Qty/ctn: 5pcs  
N.W.: 9.5kgs/ctn G.W.: 10.5kgs/ctn  
20'GP: 5100pcs 40'GP: 10600pcs  
40'HQ: 12450pcs

**Bluetooth function**  
Weight, fat, water, muscle, bone, calorie, BMI etc.

**APP with over 20 languages:**  
English, French, German, Spanish, Italian, Japanese, Korean, Portuguese etc.



Model No.: **BT 2297**

High precision strain gauge sensors system  
Tempered glass platform:280x280x5mm  
Capacity:180kg/100g  
Unit:kg,lb  
LCD size:75x31mm  
Auto zero-off  
Over load indication/Low battery indication  
Power: 2X1.5V AAA batteries

**Bluetooth Function:**  
Weight, fat, water, muscle, bone, calorie, BMI etc

Product size: 280X280X23mm  
Gift box size: 296X307X45mm  
Carton size: 310x200x325mm  
QTY: 4PCS/CTN  
N.W.: 6.4kgs G.W.: 6.8kgs  
20'GP:5600pcs,40'GP:11500pcs  
40'HQ:13500pcs

**TUYA**



**ITO GLASS**

APP Download  
(IOS&Android)



**AiFit**



# BLUETOOTH SCALE

Model No.: **BT 2295**

High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm/R20  
Capacity/Division:180kg/100g  
Unit: kg, lb  
LED size:75x31mm  
To Scan QR Code to get the available APP  
Step on the scale to weigh directly  
Auto zero- off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

**Bluetooth function**  
Weight, fat, water, muscle, bone, calorie, BMI etc.

Product size:300x300x26mm  
Gift box size:328X328X43mm  
Carton size:345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP:10400pcs  
40'HQ:12200pcs



APP Download  
(IOS&Android)




**APP with over 20 languages:**  
English, French, German, Spanish, Italian, Japanese, Korean, Portuguese etc.

Model No.: **BT2296**

High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm/R20  
Capacity/Division:180kg/100g  
Unit: kg, lb  
LCD size:75x31mm  
Option: Blue backlit  
To Scan QR Code to get the available APP  
Step on the scale to weigh directly  
Auto zero- off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

**Bluetooth function**  
Weight, fat, water, muscle, bone, calorie, BMI etc.

Product size:300x300x26mm  
Gift box size:328X328X43mm  
Carton size:345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP:10400pcs  
40'HQ:12200pcs





# BATHROOM SCALE

Model No.: B2250

High precision strain gauge sensors system  
Tempered glass platform: 330x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
Large LCD size: 60x59mm  
Include blue backlight

## Function:

1. Normal bathroom scale
2. Contrast function: show last weight, current weight and difference between two weights
3. Memory: 10 persons

Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power: 3x1.5V AAA battery

Product size: 330X21mm  
Color box size: 360X355X41.5mm  
Carton size: 375x215x370mm  
Qty/ctn: 5pcs  
N.W.: 7.5kg/ctn G.W.: 9.0kg/ctn  
20'GP: 4665pcs 40'GP: 9665pcs  
40'HQ: 11330pcs



MOTHER & BABY SCALE



Model No.: V2315

High precision strain gauge sensors system  
Tempered glass platform: 300x300x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD size: 75x31mm  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 3x1.5V AAA battery



Product size: 300x300x26mm  
Gift box size: 328X328X43mm  
Carton size: 345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP: 10400pcs  
40'HQ: 12200pcs



My weight is .....  
Your weight is .....

# BATHROOM SCALE

Model No.: B2310

High precision strain gauge sensors system  
**Stainless steel** platform  
Built in tempered glass platform: 340x276x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD display: 76x38mm with Blue backlight  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries




Product size: 340x280x28mm  
Color box size: 375x295x47mm  
Carton size: 395x255x310mm  
Qty/ctn: 5pcs  
N.W.: 10.0kg/ctn G.W.: 11.0kg/ctn  
20'GP: 4515pcs 40'GP: 8705pcs  
40'HQ: 10965pcs



## Stainless Steel

Model No.: B2311

High precision strain gauge sensors system  
Tempered glass platform: 300x300x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD size: 75x31mm  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 3x1.5V AAA battery



Product size: 300x300x26mm  
Gift box size: 328X328X43mm  
Carton size: 345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP: 10400pcs  
40'HQ: 12200pcs



# BATHROOM SCALE

## Model No.: B006

High precision strain gauge sensors system  
Tempered glass platform: 300x300x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD size: 75x31mm  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 2x1.5V AAA battery



Product size: 300x300x26mm  
Gift box size: 305X308X33mm  
Carton size: 320X280X330mm  
Qty/Ctn: 8pcs  
N.W.: 12.0kg/ctn G.W.: 13.5kg/ctn  
20'GP: 7800pcs 40'GP: 16000pcs  
40'HQ: 18800pcs



## MULTICOLOR



## Model No.: B006C

High precision strain gauge sensors system  
Tempered glass platform: 300x300x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD size: 75x31mm  
Auto zero-off function  
Step on the scale to weigh directly  
Overload and low battery indication  
Power by 2x1.5V AAA battery




Product size: 300x300x26mm  
Gift box size: 305X308X33mm  
Carton size: 320X280X330mm  
Qty/Ctn: 8pcs  
N.W.: 12.0kg/ctn G.W.: 13.5kg/ctn  
20'GP: 7800pcs 40'GP: 16000pcs  
40'HQ: 18800pcs

# BATHROOM SCALE

## Model No.: B009

High precision strain gauge sensors system  
Tempered glass platform: 300x300x6mm  
Capacity/Division: 180kg/100g  
Unit: kg, lb, st  
LCD size: 75x31mm  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 2x1.5V AAA battery



Product size: 300x300x26mm  
Gift box size: 305X308X33mm  
Carton size: 320X280X330mm  
Qty/Ctn: 8pcs  
N.W.: 12.0kg/ctn G.W.: 13.5kg/ctn  
20'GP: 7800pcs 40'GP: 16000pcs  
40'HQ: 18800pcs



A



B



C

## Model No.: B2312

High precision strain gauge sensors system  
Tempered glass platform: Customized  
Capacity/Division: 180kg/100g  
Unit: kg, lb  
LCD or LED Display  
Step on the scale to weigh directly  
Auto zero-off function  
Overload and low battery indication  
Power by 3x1.5V AAA batteries



## Product size:

- A. 260x220x25mm
- B. 260x260x25mm
- C. 300x240x25mm

You decide the size!



# BATHROOM SCALE

Model No.: **B2340**

High precision strain gauge sensors system  
**Bamboo platform: 300x300x15mm**  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 75x31mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power by 2x1.5V AAA battery



Product size: 30.0x30.0x3.6cm  
 Color box: 315x308x43mm  
 Carton size: 32.0x27.5x33.5cm  
 Qty/Ctn: 6pcs  
 N.W.: 9.6kg/ctn G.W.: 10.5kg/ctn  
 20'GP: 5700pcs 40'GP: 11790pcs  
 40'HQ: 13830pcs




Model No.: **B003**

High precision strain gauge sensors system  
 Tempered glass platform: 280x280x5mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 59x23mm  
 Auto zero-off function  
 Step on the scale to weigh directly  
 Overload and low battery indication  
 Power by 2x1.5V AAA battery

**Room Temperature**

Product size: 28.0x28.0x2.3cm  
 Color box: 285x288x33mm  
 Carton size: 29.5x21.5x30.0cm  
 Qty/Ctn: 6pcs  
 N.W.: 9.0kg/ctn G.W.: 9.5kg/ctn  
 20'GP: 8850pcs 40'GP: 18330pcs  
 40'HQ: 21480pcs



# BATHROOM SCALE

Model No.: **B001**

High precision strain gauge sensors system  
 Tempered glass platform: 300x300x6mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 75x31mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power: 1x3V CR2032 lithium battery



Product size: 300x300x35cm  
 Color box: 330x334x60mm  
 Carton size: 37.5x34.5x35.5cm  
 Qty/Ctn: 6pcs  
 N.W.: 13.2kg/ctn G.W.: 14kg/ctn  
 20'GP: 3600pcs 40'GP: 7290pcs  
 40'HQ: 8610pcs



Model No.: **B2280**

High precision strain gauge sensors system  
 Tempered glass platform: 380x320x6mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 Large LCD: 80x42mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power: 1x3V CR2032 lithium battery



Product size: 380x320x21cm  
 Color box: 403x350x47mm  
 Carton size: 42.0x20.5x36.5cm  
 Qty/Ctn: 4pcs  
 N.W.: 10.8kg/ctn G.W.: 12.2kg/ctn  
 20'GP: 3560pcs 40'GP: 7400pcs  
 40'HQ: 8600pcs

**Wide Platform  
 380x320mm**





# BATHROOM SCALE

Model No.: **B2340**

High precision strain gauge sensors system  
**Bamboo platform: 300x300x15mm**  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 75x31mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power by 2x1.5V AAA battery



Product size: 30.0x30.0x3.6cm  
 Color box: 315x308x43mm  
 Carton size: 32.0x27.5x33.5cm  
 Qty/Ctn: 6pcs  
 N.W.: 9.6kg/ctn G.W.: 10.5kg/ctn  
 20'GP: 5700pcs 40'GP: 11790pcs  
 40'HQ: 13830pcs




Model No.: **B003**

High precision strain gauge sensors system  
 Tempered glass platform: 280x280x5mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 59x23mm  
 Auto zero-off function  
 Step on the scale to weigh directly  
 Overload and low battery indication  
 Power by 2x1.5V AAA battery

**Room Temperature**

Product size: 28.0x28.0x2.3cm  
 Color box: 285x288x33mm  
 Carton size: 29.5x21.5x30.0cm  
 Qty/Ctn: 6pcs  
 N.W.: 9.0kg/ctn G.W.: 9.5kg/ctn  
 20'GP: 8850pcs 40'GP: 18330pcs  
 40'HQ: 21480pcs



# BATHROOM SCALE

Model No.: **B001**

High precision strain gauge sensors system  
 Tempered glass platform: 300x300x6mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 LCD size: 75x31mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power: 1x3V CR2032 lithium battery



Product size: 300x300x35cm  
 Color box: 330x334x60mm  
 Carton size: 37.5x34.5x35.5cm  
 Qty/Ctn: 6pcs  
 N.W.: 13.2kg/ctn G.W.: 14kg/ctn  
 20'GP: 3600pcs 40'GP: 7290pcs  
 40'HQ: 8610pcs



Model No.: **B2280**

High precision strain gauge sensors system  
 Tempered glass platform: 380x320x6mm  
 Capacity/Division: 180kg/100g  
 Unit: kg, lb, st  
 Large LCD: 80x42mm  
 Step on the scale to weigh directly  
 Auto zero-off function  
 Overload and low battery indication  
 Power: 1x3V CR2032 lithium battery



Product size: 380x320x21cm  
 Color box: 403x350x47mm  
 Carton size: 42.0x20.5x36.5cm  
 Qty/Ctn: 4pcs  
 N.W.: 10.8kg/ctn G.W.: 12.2kg/ctn  
 20'GP: 3560pcs 40'GP: 7400pcs  
 40'HQ: 8600pcs

**Wide Platform  
 380x320mm**





# BODY FAT SCALE



Bigger LCD



Product size:300x300x26mm  
Gift box size:328X328X43mm  
Carton size:345X230X350mm  
Qty/Ctn: 5pcs  
N.W.: 8.0kg/ctn G.W.: 9.5kg/ctn  
20'GP: 5000pcs 40'GP:10400pcs  
40'HQ:12200pcs

Model No.: **F2284**

High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm  
Capacity/Division:180kg/d=100g  
Unit: kg,lb,st  
**Large LCD size: 80x42mm**  
**Include blue backlit**  
Auto zero-off function  
Over load and Low battery indication  
Power:3x1.5V AAA battery  
Memory: 10 persons  
**Function: Weight, fat, water, muscle, bone, calorie, BMI**




# BODY FAT SCALE



Model No.: **F2298**

High precision strain gauge sensors system  
Tempered glass platform:300x300x6mm  
Capacity/Division:180kg/d=100g  
Unit: kg,lb,st  
Large LCD size:75x31mm  
Auto zero-off function  
Over load and Low battery indication  
Power: 2x1.5V AAA battery  
Memory: 10 persons  
**Function: Weight, fat, water, muscle, bone, calorie, BMI**



Product size:300x300x26mm  
Gift box size:305X308X33mm  
Carton size:320X280X330mm  
Qty/Ctn: 8pcs  
N.W.: 12.0kg/ctn G.W.: 13.5kg/ctn  
20'GP: 7800pcs 40'GP: 16000pcs  
40'HQ: 18800pcs



# BABY AND CHILD SCALE



Upgrade to Max 100kg  
OK to use for Parents!



Model No.: **BS8319**

High precision strain gauge sensors system  
**Wide plastic baby tray with length measurement**  
**Baby tray is dismountable, then for children to stand**  
Baby tray size: 600x255mm  
Child Platform size: 250x300mm  
Capacity/Division: 100kg/10g, enough for 1-6 years children  
Unit: kg, lb  
LCD display: 55x23mm with backlight  
Auto zero-off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

Product size: 610x320x75mm  
Color box size: 350x120x278mm  
Carton size: 505x365x310mm  
Qty/ctn: 4pcs  
N.W.: 6.0kg/ctn G.W.: 8.5kg/ctn  
20'GP: 1900pcs 40'GP: 4000pcs  
40'HQ: 4700pcs

# BABY AND CHILD SCALE

DUAL  
PURPOSE

Upgrade to Max 100kg  
OK to use for Parents!



Model No.: **BS8320**

High precision strain gauge sensors system  
**Wide plastic baby tray with length measurement**  
**Baby tray is dismountable, then for children to stand**  
Baby tray size: 740x272mm  
Child Platform size: 280x350mm  
Capacity/Division: 100kg/10g, enough for 1-8 years children  
Unit: kg, lb  
LCD display: 55x23mm with backlight  
Auto zero-off function  
Overload and low battery indication  
Power by 2x1.5V AAA batteries

Product size: 740x350x65mm  
Color box size: 415x145x290mm  
Carton size: 595x430x305mm  
Qty/ctn: 4pcs  
N.W.: 7.0kg/ctn G.W.: 9.0kg/ctn  
20'GP: 1500pcs 40'GP: 3000pcs  
40'HQ: 3500pcs





# BABY SCALE

Model No.: **BS8326**



High precision strain gauge sensors system  
Baby tray size: 65.0x32.0cm  
Max capacity: 30kg d=2g  
Unit: g, kg, oz, lb:oz  
LCD display: 54x22mm with backlight  
Auto zero-off function  
Overload and low battery indication  
Power: 2x1.5V AAA battery

Product size: 65.0x32.0x4.5cm  
Color box: 66.0x33.5x5.3cm  
Carton size: 67.5x44.5x35.5cm  
Qty/Ctn: 8pcs  
N.W.: 13.0kg/ctn G.W.: 14kg/ctn  
20'GP: 2080pcs 40'GP: 4200pcs  
40'HQ: 5000pcs

Model No.: **BS8323**



High precision strain gauge sensors system  
Baby tray size: 65.0x32.0cm  
Max capacity: 20kg d=10g  
Unit: g, kg, oz  
LCD display: 54x22mm  
Auto zero-off function  
Overload and low battery indication  
Power: 2x1.5V AAA battery

Product size: 54.0x34.0x4.5cm  
Color box: 55.0x35x5.0cm  
Carton size: 57x27x37cm  
Qty/Ctn: 5pcs  
N.W.: 10.0kg/ctn G.W.: 11kg/ctn  
20'GP: 2500pcs 40'GP: 5100pcs  
40'HQ: 6000pcs

# BABY CHANGE PAD

Model No.: **BS 8328**



**NEW**



High grade infants PU PAD for change  
Color: White, Grey, etc  
**Waterproof & Easy to Clean, Washable**  
Non-absorbent material protects  
changing pad from messes and odors  
**Restraint straps and contoured edges**  
**prevent infants from moving during changes**  
**Portable & Convenient:**  
**Light weight design makes it easy to bring**  
**with you wherever you go.**

Product size: 72.0x35.2x5.5cm  
Color box: 71.5x37.7x7.2cm  
Carton size: 47.0x37.0x74cm  
Qty/Ctn: 6pcs  
N.W.: 10.5kg/ctn G.W.: 11.6kg/ctn  
20'GP: 1266pcs 40'GP: 2616pcs  
40'HQ: 3078pcs

Model No.: **BS 8327**



**NEW**



High precision strain gauge sensors system  
Baby tray size: 55.0x32.0cm  
Max capacity: 40kg d=5g  
Unit: g, kg, oz:lb, lb  
LED display: 65x18mm  
Auto zero-off function  
Overload and low battery indication  
Power: 3x1.5V AAA battery

Product size: 55.0x32.0x3.5cm  
Color box: 55.2x32.9x5.4cm  
Carton size: 45.0x34.5x57.5cm  
Qty/Ctn: 8pcs  
N.W.: 11.0kg/ctn G.W.: 12kg/ctn  
20'GP: 2464pcs 40'GP: 5016pcs  
40'HQ: 5896pcs



# POSTAL SCALE

Model No.: **B2390P1**

High precision strain gauge sensors system  
Stainless steel platform: 30x25.5cm  
Max capacity: 180kg d=50g  
Unit: kg, lb, oz  
Moveable display box: 12x8x1.5cm  
Auto zero-off function  
Overload and low battery indication  
Power: 2x1.5V AAA battery or adapter 5V



Product size: 30x25.5x4cm(Base)  
Color box: 31.3x27.5x5cm  
Carton size: 33.0x27.0x29.5cm  
Qty/Ctn: 5pcs  
N.W.: 10.0kg/ctn G.W.: 10.5kg/ctn  
20'GP: 5320pcs 40'GP: 11020pcs  
40'HQ: 12920pcs



Model No.: **B2390P2**



Wireless Version

High precision strain gauge sensors system  
Stainless steel platform: 38x30cm  
Max capacity: 150kg d=100g  
Unit: kg, lb, oz  
Moveable display box: 17x9x1.7cm  
Auto zero-off function  
Overload and low battery indication  
Power: 2x1.5V AA battery(Base)  
Adapter: 5V output or 3x1.5V AA(Display box)



Product size: 38x30x3cm(Base)  
Color box: 44.5x36.3x10cm  
Carton size: 46x43.5x38cm  
Qty/Ctn: 4pcs  
N.W.: 14.0kg/ctn G.W.: 14.9kg/ctn  
20'GP: 1460pcs 40'GP: 3060pcs  
40'HQ: 3580pcs

# SHIPPING SCALE

Model No.: **B2390P3**

High precision strain gauge sensors system  
Stainless steel platform: 38x30cm  
Max capacity: 150kg/300kg d=100g  
Unit: kg, lb, oz  
Moveable display box: 17x9x2.5cm  
Counting(PCS) function  
Auto zero-off function  
Overload and low battery indication  
Power Adapter: 5V output(Display box)

Product size: 38x30x6.8cm(Base)  
Color box: 41x34x11cm  
Carton size: 42x23.5x36cm  
Qty/Ctn: 2pcs  
N.W.: 7.2kg/ctn G.W.: 7.8kg/ctn  
20'GP: 1570pcs 40'GP: 3260pcs  
40'HQ: 3830pcs

