

Paibon **AINICIA GROUP**

www.paibonscale.com

www.paibon.com

www.ainicia-group.com

LUGGAGE SCALE



ISO9001 BSCI REACH CE FC RoHS

LUGGAGE SCALE

Design
in Patent

Colorful Pattern



Product size: 70 (L)x20(W)x23(H)mm

Color box size:102x50x50mm

Carton size:352X270X230mm

Qty/Ctn:100pcs

N.W.:5.7kg/ctn G.W.:6.2kg/ctn

20'GP:87500pcs 40'GP: 181200pcs



B

C

A



No More Overweight Fees!

Model No.:LS030A/B/C

High precision strain gauge sensors system

Max capacity/Division:40kg/10g

Unit:kg, lb

Large LCD size: 25x8.5mm

Tare function

Data lock, convenient to read

Overload and low battery indication

Power by 2x3V CR1632 lithium batteries

Automatic shutdown:

about 60 seconds automatic shutdown

Manual shutdown:

Press and hold the key for 3 seconds

Backlight color:

Option-1: Blue backlight with target weight indication

Over 20kg-Red light; Over 30kg, Blue+Red Flashing
and different lock indication sound

Option-2: Simple weight function with White Display

Exclusive sale in Japan and HongKong



LUGGAGE SCALE

Design
in Patent



Touch Screen Luggage Scale

-  1. PRESS AND HOLD BUTTON FOR 3 SEC TO POWER ON AND OFF THE TOUCH SCALE
-  2. TOUCH THE SCREEN BUTTON ON THE RIGHT TO SELECT DESIRED UNIT LB OR KG
-  3. HOOK LUGGAGE SECURELY AT A STEADY POINT, FOR EXAMPLE THE HANDLE
-  4. LIFT AND MEASURED WEIGHT WILL BE DISPLAYED WHEN YOU SEE "HOLD" ON BOTTOM LEFT OF THE SCREEN

TOUCH SCREEN

Model No.:LS046

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/100g

Unit: kg, lb

Extra large LCD: 75x18mm

Black background + white display

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 2xCR2032 lithium batteries

Big hook with rubber protection

Product size: 100x30x40mm

Color box size: 140x80x40mm

Carton size: 425x255x295mm

Qty/Ctn: 60pcs

N.W.: 7.2kg/ctn G.W.: 8.5kg/ctn

20'GP: 52500pcs 40'GP: 108720pcs

40'HQ: 127500pcs



LUGGAGE SCALE

NEW



POWER BANK WITH 2600mAh



Type-C Input

USB Output

Model No.: **LS055**

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/10g

Unit: g, oz, kg, lb

Large LCD: 30×17 mm

With blue backlight

With 2600mAh power bank

Input: 5V-0.8A; Output: 5V-1A

Tare Function

Data lock, convenient to read

Auto Zero-Auto off

Overload and low battery indication

Product size: 145x38x38mm
Color box size: 176x89x43mm
Carton size: 445X285X370mm
Qty/Ctn: 60pcs
N.W.: 10.0kg/ctn G.W.: 10.6kg/ctn
20'GP: 35700pcs 40'GP: 74100pcs

LUGGAGE SCALE

NEW



Model No.:LS056

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/10g

Unit: kg, lb

LCD display size:30x18mm

With blue backlight

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 1xCR2032 lithium battery

Product size: 148x33x55mm

Color box size:176x89x43mm

Carton size:445x285x370mm

Qty/Ctn:60pcs

N.W.:6.6kg/ctn G.W.:7.2kg/ctn

20'GP:35700pcs 40'GP: 74100pcs

LUGGAGE SCALE



LS022C
Colorful Aluminium Cover



LS022R
Stainless steel Cover



Product size: 147x30x46mm
Color box size: 173x87x41mm
Carton size: 435x280x365mm
Qty/Ctn: 60pcs
N.W.: 6.5kg/ctn G.W.: 8.5kg/ctn
20'GP: 38160pcs 40'GP: 79080pcs

Model No.: LS022R/LS022C

High precision strain gauge sensors system

Max capacity/Division: 50kg/10g

Unit: g, oz, kg, lb

Stainless steel front cover or colorful aluminium

Bigger LCD display size: 30x18mm

With blue backlight

Tare function

Auto zero/auto off

Data lock, convenient to read

Overload and low battery indication

Power by 1x3V CR2032 lithium battery

LUGGAGE SCALE

Model No.:LS025

High Precision Strain Gauge sensors system

Capacity/Division: 40kg/10g, 50kg/10g

Unit: g, oz, kg, lb

Large LCD: 32x16mm

With blue backlight

Data lock function, convenient to read with beep

Tare function

Auto zero-Auto off

Overload and low battery indication

Power by 1x3V CR2032 lithium battery

Product size: 152x34x46mm

Color box size:173x87x41mm

Carton size:435x280x365mm

Qty/Ctn:60pcs

N.W.:6.5kg/ctn G.W.:8.5kg/ctn

20'GP:38160pcs 40'GP: 79080pcs



Model No.:LS022

High Precision Strain Gauge sensors system

Capacity/Division: 40kg/10g

Unit: g, oz, kg, lb

LCD display size: 30x13mm

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 1xCR2032 lithium battery

Product size: 150x30x35mm

Color box size:175x90x43mm

Carton size:455x285x365mm

Qty/Ctn:60pcs

N.W.:6.5kg/ctn G.W.:8.5kg/ctn

20'GP:35700pcs 40'GP:74040pcs



LUGGAGE SCALE

Model No.:LS007

High precision strain gauge sensors system
Max capacity/Division:50kg/50g
Unit:kg,lb
LCD display size: 35×13mm
With blue backlight or green
Tare function
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indicationPower: 1x3V
CR2032 lithium battery

Product size:130x30x45mm
Color box size:150x103x38mm
Carton size:535x420x325mm
Qty/Ctn:100pcs
N.W.:12.5kg/ctn G.W.:13.5kg/ctn
20'GP:38000pcs 40'GP:80000pcs



Temperature



Model No.:LS059

High Precision Strain Gauge sensors system
Capacity/Division:50Kg/50g
Unit: kg,lb
LCD size:25x20mm
Data Lock function
Auto Zero/Auto off
Tare function

Power: Free-battery
Self-generated power

Product size:140x35x40mm
Color box size:160x76x40mm
Carton size:425X220X345mm
Qty/Ctn:60pcs
20'GP:52500pcs 40'GP: 101280pcs



LUGGAGE SCALE



Model No.: **LS012**

High Precision Strain Gauge sensors system
Capacity/Division: 40kg/10g, 50kg/10g
Unit: kg, lb
Large LCD: 24x20mm
Data lock, convenient to read
Tare function
Auto zero-Auto off
Overload and low battery indication
Power by 1x3V CR2032 lithium battery



Product size: 100x40x35mm
Color box size: 102x50x50mm
Carton size: 523X270X230mm
Qty/Ctn: 100pcs
N.W.: 6.5kg/ctn G.W.: 7.5kg/ctn
20'GP: 87500pcs 40'GP: 181200pcs

Model No.: **LS023**

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit: g, kg, lb, oz
LCD size: 40x15mm
with blue backlight
Red backlight as alarming once up to setting data
Tare function
Data lock with beep, convenient to read
Auto zero-Auto off
Overload and low battery indication
Power by 2x1.5V AAA batteries



Product size: 160x32x35mm
Color box size: 173x87x41mm
Carton size: 435X280X365mm
Qty/Ctn: 60pcs
N.W.: 7.5kg/ctn G.W.: 8.0kg/ctn
20'GP: 38100pcs 40'GP: 79080pcs

LUGGAGE SCALE

Lcd display weight
4 Units:kg,g,oz,lb

ON/OFF
UNIT CHANGE

Output: DC5V/1.0A

Input: DC 5V/0.8A

Hang Luggage

POWER BANK WITH 2600mAh



Model No.:LS044




Product size:142x32x38mm
Color box size:176x89x36mm
Carton size:395x375x285mm
Qty/Ctn:60pcs
N.W.:7.3kg/ctn G.W.:12.0kg/ctn
20'GP:39960pcs 40'GP:82800pcs
40'HQ:97140pcs

High precision strain gauge sensors system
Max capacity/Division: 50kg/10g
Unit: g, oz, kg, lb
Large LCD display size: 30×17mm
With blue backlit
With 2600mAh power bank
Input:5V-0.8A; Output:5V-1A
Tare function
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indication

LUGGAGE SCALE



POWER BANK WITH 2600mAh



Model No.: **LS035**

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/10g

Unit: kg, lb

Large LCD: 30x17mm

With blue backlight

Flash light function

With 2600mAh power bank

Input:5V-0.8A; Output:5A-1A

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication



Product size: 153x35x55mm

Color box size:184x93x40mm

Carton size:425x290x385mm

Qty/Ctn:60pcs

N.W.:7.8kg/ctn G.W.:13.0kg/ctn

20'GP:35700pcs 40'GP:74040pcs

40'HQ:86760pcs

LUGGAGE SCALE

Model No.:LS052

High precision strain gauge sensors system

Max capacity/Division: 50kg/10g

Unit: kg, lb

LCD size: 34x13mm

With blue backlight

TAPE MEASURE FUNCTION WITH 80cm

Auto zero/auto off

Overload and low battery indication

Tare function

Data lock with hold function, convenient to read

Power by 1xCR2032 lithium battery

Product size:155x45x39mm

Color box size:190x70x50mm

Carton size:370x270x400mm

Qty/Ctn:50pcs

N.W.:6.0kg/ctn G.W.:7.5kg/ctn

20'GP:35000pcs 40'GP:85000pcs



Model No.:LS053

High precision strain gauge sensors system

Max capacity/Division: 50kg/10g

Unit: kg, lb

LCD size: 34x13mm

With blue backlight

TAPE MEASURE FUNCTION WITH 80cm

Auto zero/auto off

Overload and low battery indication

Tare function

Data lock with hold function, convenient to read Power by 1xCR2032 lithium battery



Product size:130x30x32.5mm

Color box size:155x55x40mm

Carton size:295x260x330mm

Qty/Ctn:60pcs

N.W.:6.9kg/ctn G.W.:8.5kg/ctn

20'GP:66000pcs 40'GP:137400pcs

LUGGAGE SCALE



Model No.:LS045

High Precision Strain Gauge sensors system
Capacity/Division:50kg/10g
Unit: g, oz, kg, lb
Large LCD: 32x15mm
With blue backlight
Tare function
Auto zero-Auto off
Overload and low battery indication
Power by 1x3V CR2032 lithium battery



Product size:150x68x32mm
Color box size:185x92x40mm
Carton size:425x290x385mm
Qty/Ctn:60pcs
N.W.:11.5kg/ctn G.W.:13.0kg/ctn
20'GP:35700pcs 40'GP:74040pcs

Model No.:LS050

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit: kg, lb
Large LCD:28x21mm
With blue backlight
Input:5V-0.8A; Output:5A-1A
Tare function
Data lock, convenient to read
Auto zero-Auto off
Overload and low battery indication

POWER BANK WITH 5200mAh



Removeable Tape

Product size:150x47x30mm
Color box size:178x90x43mm
Carton size:465x230x380mm
Qty/Ctn:100pcs
N.W.:5.7kg/ctn G.W.:6.2kg/ctn
20'GP:87500pcs 40'GP: 181200pcs



LUGGAGE SCALE

Model No.:LS036

High precision strain gauge sensors system
Max capacity/Division: 40kg/0.1g
Unit:kg, lb
LCD display size:24×20mm
Tare function
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indication
Power by 1x3V CR2032 lithium battery

Product size:100x38x26mm
Paper card:119x109mm
Clamshell:120x110x46mm
Inner box:250x250x120mm/20pcs
Carton size:520x260x265mm
Qty/Ctn:80pcs
N.W.:4.5kg/ctn G.W.:7.5kg/ctn
20'GP:65000pcs 40'GP:13400pcs



Model No.:LS049

High Precision Strain Gauge sensors system
Capacity/Division:50Kg/100g
Unit: kg,lb
LCD size:31x15mm
With backlight
UV Coating for front cover
Data Lock function
Auto Zero/Auto off
Tare function
Overload and low battery indication
Power by 1x3V CR2032 lithium battery

Product size:137x36x30mm
Color box size:150x53x48mm
Carton size:505x320x270mm
Qty/Ctn:80pcs
N.W.:10.5kg/ctn G.W.:12.5kg/ctn
20'GP:50880pcs 40'GP:98160pcs

LUGGAGE SCALE

Model No.:LS047



High Precision Strain Gauge sensors system

Capacity/Division:50kg/10g

Unit:kg,lb

LCD size: 30x18mm

Red LCD display

Data lock function, convenient to read with beep

Tare function

Auto zero-Auto off

Overload and low battery indication

Power by 1x3V CR2032 lithium battery

Product size:150x35x30mm

Color box size:163x67x40mm

Carton size:425x220x345mm

Qty/Ctn:60pcs

N.W.:6.0kg/ctn G.W.:7.0kg/ctn

20'GP:52500pcs 40'GP:101280pcs

Model No.:LS048

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/10g

Unit: kg, lb

LCD size: 34x13mm

With blue backlight

Tape measure function with 80cm

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 1xCR2032 lithium battery

Product size:148x35x36mm

Color box size:163x67x40mm

Carton size:425x220x345mm

Qty/Ctn:60pcs

N.W.:6.0kg/ctn G.W.:7.0kg/ctn

20'GP:52500pcs 40'GP:101280pcs



LUGGAGE SCALE

Model No.:LS009

High precision strain gauge sensors system

Max capacity/Division: 40kg/10g

Unit: g, oz, kg, lb

LCD display size: 29x15mm

With blue backlight

Tare function

Auto zero/auto off

Overload and low battery indication

Power by 2x1.5V AAA batteries

Product size:140x28x38mm

Color box size:150x80x40mm

Carton size:425x255x335mm

Qty/Ctn:60pcs

N.W.:5.3kg/ctn G.W.:7.7kg/ctn

20'GP:46620pcs 40'GP:96660pcs



Model No.:LS026

High Precision Strain Gauge sensors system

Capacity/Division:40kg/10g, 50Kg/10g

Unit:oz, kg, lb

Large LCD size:33x20mm

With blue backlight

With temperature function

Tape measure function with 80cm

Data Lock function

Auto Zero/Auto off

Tare function

Power by 2x1.5V AAA batteries



Temperature



Product size:137x36x30mm

Color box size:143x53x48mm

Carton size:505x320x270mm

Qty/Ctn:80pcs

N.W.:10.5kg/ctn G.W.:12.5kg/ctn

20'GP:50880pcs 40'GP:98160pcs

LUGGAGE SCALE

Model No.:LS008



High Precision Strain Gauge sensors system
Capacity/Division: 40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 32x16mm **with blue backlight**
Tape measure function with 80cm
LED flashlight/torch function, switch control
Data lock function, convenient to read
Tare function
Auto zero-Auto off
Overload and low battery indication
Power by 4x1.5V AAA battery

Product size:180X47X40mm
Color box size:210X56X98mm
Carton size:435X295X410mm
Qty/Ctn:40pcs
N.W.:8.0kg/ctn G.W.:10.2kg/ctn
20'GP:20000pcs 40'GP:41400pcs

Model No.:LS034

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit:g, oz, kg, lb
Large LCD: 30x17mm
With blue backlight
Flashlight/torch function
Tare function
Data lock, convenient to read
Auto zero-Auto off
Overload and low battery indication
Power by 2x1.5V AAA batteries

Product size:150X30X40mm
Color box size:170X82X40mm
Carton size:425x260x355mm
Qty/Ctn:60pcs
N.W.:6.8kg/ctn G.W.:9.2kg/ctn
20'GP:43020pcs 40'GP:89220pcs



LUGGAGE SCALE

Model No.:LS005

High precision strain gauge sensors system
Max capacity/Division: 40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD display size:40x15mm
With blue backlight
Tare function
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indication
Power by 2x1.5V AAA batteries

Product size:122x85x25mm
Color box size:141x141x35mm
Carton size:367x297x297mm
Qty/Ctn:40pcs
N.W.:5.6kg/ctn G.W.:8.0kg/ctn
20'GP:34400pcs 40'GP:71600pcs



Model No.:LS013

High Precision Strain Gauge sensors system
Capacity/Division:40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD size:43x23mm
With blue backlight
Data Lock function with beep
Auto Zero/Auto off
Tare function
Power by 2x1.5V AAA batteries

Product size:140x31.5x185mm
Color box size:226x170x34mm
Carton size:475x415x370mm
Qty/Ctn:48pcs
N.W.:10.0kg/ctn G.W.:11.5kg/ctn
20'GP:18384pcs 40'GP:38112pcs



LUGGAGE SCALE

Model No.: **LS021**



High Precision Strain Gauge sensors system
Capacity/Division: 40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 32x16mm
With blue backlight
Tare function
Auto zero-Auto off
Overload and low battery indication
Power by 1x3V CR2032 lithium battery

Product size: 113x55x50mm
Color box size: 120x60x60mm
Carton size: 315x325x255mm
Qty/Ctn: 50pcs
N.W.: 5.0kg/ctn G.W.: 7.0kg/ctn
20'GP: 55000pcs 40'GP: 114500pcs

Model No.: **LS017**

High Precision Strain Gauge sensors system
Capacity/Division: 40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 43x18mm
With blue backlight
Tape measure function with 100cm
Tare function
Data lock, convenient to read
Auto zero-Auto off
Overload and low battery indication
Power by 2xCR2032 lithium batteries

Product size: 183x92x33mm
Color box size: 220x120x36mm
Carton size: 375x375x460mm
Qty/Ctn: 60pcs
N.W.: 12.0kg/ctn G.W.: 14.5kg/ctn
20'GP: 24000pcs 40'GP: 51900pcs



LUGGAGE SCALE

Model No.:LS002

High precision strain gauge sensors system
Max capacity/Division: 40kg/10g
Unit: g, oz, kg, lb
LCD display size: 38×15mm
With blue backlight
Tare function
Auto zero/auto off
Data lock with sound, convenient to read
Overload and low battery indication
Power by 2x1.5V AAA batteries

Product size:130x34x32mm
Color box size:160x80x40mm
Carton size:425x255x335mm
Qty/Ctn:60pcs
N.W.:6.2kg/ctn G.W.:10.2kg/ctn
20'GP:46620pcs 40'GP:96660pcs



Model No.:LS024

High Precision Strain Gauge sensors system
Capacity/Division:40kg/10g, 50Kg/10g
Unit: g, oz, kg, lb
Colorful plastic cover
Big LCD size:30x15mm
Data Lock function
Auto Zero/Auto off
Tare function
Power by 1x3V CR2032 lithium battery

Product size:147x30x46mm
Color box size:173x87x41mm
Carton size:435x280x365mm
Qty/Ctn:60pcs
N.W.:6.5kg/ctn G.W.:8.5kg/ctn
20'GP:38160pcs 40'GP:79080pcs



MOUNTED LUGGAGE SCALE

Handle Scale

Mounted on Suitcase



Model No.:LS018

NEVER PAY OVERWEIGHT FEES AGAIN!

EASY TO USE!

EASY TO FIX AND BRING!

High Precision Strain Gauge sensors system

Capacity/Division: 40kg/0.1g

Unit: kg, lb

LCD size:27x13mm with backlight

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 2x1.5V AAA batteries

Product size:150X80X25mm

Brown box size:155X85X38mm

Carton size:395X270X325mm

Qty/Ctn:60pcs

N.W.:7.2kg/ctn G.W.:9.5kg/ctn

WATERPROOF FISHING SCALE



Temperature



Model No.:LS027

High precision strain gauge sensors system
Max capacity/Division: 25kg/10g, 50kg/10g

**TPR Handle, Rubber Finishing, Waterproof
With 80cm Tape and Thermometer function**

Unit: g, oz, kg, lb **Temperature: °C, °F**

LCD display size: 38x18mm

With blue backlight

Tare function

Auto zero/auto off

Data lock with beep, convenient to read

Overload and low battery indication

Power by 2x1.5V AAA batteries

Product size:150x90x30mm
Color box size:250x120x38mm
Paper card:249x119mm
Inner box:330x130x260(10pcs)
Carton size:525x345x280mm
Qty/Ctn:40pcs
N.W.:9.0kg/ctn G.W.:10.5kg/ctn
20'GP:50880pcs 40'GP:98160pcs

LUGGAGE SCALE



VOICE



Model No.: **LS038**

Portable Voice Luggage Scale

High Precision Strain Gauge sensors system

Capacity/Division: 40kg/100g

Unit: oz, kg, lb

Large LCD size: 42x28mm

With backlight

Tare function

Auto zero-Auto off

Overload and low battery indication

Power by 3x1.5V AAA batteries

Product size: 120x85x25mm

Color box size: 107x30x177mm

Carton size: 320x235x370mm

Qty/Ctn: 40pcs

N.W.: 5.4kg/ctn G.W.: 7.8kg/ctn

20'GP: 40000pcs 40'GP: 83000pcs

Model No.: **LS039**

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/10g

Unit: g, oz, kg, lb

Large LCD: 30x17mm

With blue backlight

Flashlight/Torch function

Tape measure function with 80cm

Tare function

Data lock, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 2xCR2032 lithium batteries

Product size: 170x65x40mm

Color box size: 195x85x65mm

Carton size: 435x275x405mm

Qty/Ctn: 40pcs

N.W.: 8.0kg/ctn G.W.: 8.5kg/ctn

20'GP: 23000pcs 40'GP: 56000pcs



WATERPROOF FISHING SCALE

Model No.:LS031

High precision strain gauge sensors system
Max capacity/Division: 25kg/10g, 50kg/10g
With 80cm Tape and Thermometer function
Unit: g, oz, kg, lb
LCD display size: 38×18mm
With blue backlight
Tare function
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indication
Power by 2x1.5V AAA batteries

Product size:145x90x30mm
Color box size:170x110x40mm
Carton size:415x235x355mm
Qty/Ctn:40pcs
N.W.:8.0kg/ctn G.W.:8.5kg/ctn
20'GP:32200pcs 40'GP:73400pcs



Model No.:LS032

High Precision Strain Gauge sensors system
Capacity/Division:50Kg/50g
With 80cm Tape
Unit: kg, lb, oz
LCD size:42x21mm with blue backlight
Data Lock function with beep, convenient to read
Auto Zero/Auto off
Tare function
Power by 2x1.5V AAA batteries



Product size:150x100x33mm
Color box size:180x125x45mm
Carton size:465x265x375mm
Qty/Ctn:40pcs
N.W.:10.0kg/ctn G.W.:10.8kg/ctn
20'GP:25600pcs 40'GP:53200pcs

WATERPROOF FISHING SCALE

Model No.:LS033

High Precision Strain Gauge sensors system

Capacity/Division: 50kg/5g

With 80cm Tape

Unit: kg, lb, oz

LCD size:42x21mm

With blue backlight

Tare function

Data lock with beep, convenient to read

Auto zero-Auto off

Overload and low battery indication

Power by 2x1.5V AAA batteries



Product size:150x90x28mm

Color box size:192x108x40mm

Carton size:415x235x400mm

Qty/Ctn:40pcs

N.W.:12.5kg/ctn G.W.:13.2kg/ctn

20'GP:28600pcs 40'GP:59400pcs

POCKET SCALE

Model No.:PJS05A

High precision strain gauge sensors system
Max capacity/Division:20g/0.001g, 50g/0.001g,
100g/0.01g, 200g/0.01g, 500/0.01g, 1000g/0.01g
Unit:g, oz, ozt, dwt, ct, gn

Stainless steel platform

Bigger LCD display size: 30×18mm

With blue backlit

Auto zero/auto off

Data lock, convenient to read

Overload and low battery indication Tare function

External power supply

Product size:139x846x245mm
Platform size:63x58mm
Color box size:154x58x26mm
Carton size:515x290x177mm
Qty/Ctn:50pcs
N.W.:11.6kg/ctn G.W.:12.3kg/ctn



Model No.:PJS05B

High Precision Strain Gauge sensors system
Capacity/Division:20g/0.001g, 50g/0.001g, 100g/0.01g,
200g/0.01g, 500/0.01g, 1000g/0.01g
Unit: g, oz, ozt, dwt, ct, gn

Stainless steel platform

LCD size:25x20mm

Data Lock function

Auto Zero/Auto off

Tare function

Power by 2x1.5V AAA batteries

Product size:137x90x255mm
Platform size:70x70mm
Color box size:140x92x30mm
Carton size:530x330x165mm
Qty/Ctn:50pcs
N.W.:13.3kg/ctn G.W.:14.0kg/ctn



POCKET SCALE

Model No.: **PJS06**

High Precision Strain Gauge sensors system

Capacity/Division: 100g/0.01g, 200g/0.01g, 500/0.01g

Unit: g, oz, ct, zn

Large LCD: 32x12mm

With blue backlight

Tare function

Auto zero-Auto off

Overload and low battery indication

Power by 2x1.5V AAA batteries

Strong cover to protect the load cell, platform

Product size:102x70x25mm

Color box size:105x72x28mm

Carton size:375x300x225mm

Qty/Ctn:100pcs

N.W.:9.1kg/ctn G.W.:11.0kg/ctn

20'GP:110600pcs



Model No.: **PJS09**

High Precision Strain Gauge sensors system

Stainless steel platform:φ50mm

Capacity/Division: 100g/0.01g, 200g/0.01g, 500/0.01g

Unit: g, oz, dwt, ct, gn, tl

White large LCD: 35x24mm

Counting function

Including calibrating weight

Auto zero-Auto off

Overload and low battery indication

Power by 2x1.5V AAA batteries

Strong CLEAR cover to protect the load cell, platform

Product size: 113x65x30mm

Color box size:180x98x43mm

Carton size:355x310x275mm

Qty/Ctn:60pcs

N.W.:12.0kg/ctn G.W.:13.5kg/ctn

20'GP:40920pcs



POCKET SCALE

Model No.:PJS07

High precision strain gauge sensors system

Stainless steel platform:50x55mm

Capacity/Division: 100g/0.01g, 200g/0.01g, 500/0.01g

Unit: g, oz, ct, gn

Large LCD display size: 38x16mm with blue backlight

Silicon Buttons

Counting function

Auto zero/auto off

Overload and low battery indication

Power by 2X1.5V AAA batteries

Stong CLEAR cover to protect the load cell, platform



Product size:120x65x20mm
Color box size:134x69x22mm
Carton size:435x245x300mm
Qty/Ctn:100pcs
N.W.:11.0kg/ctn G.W.:13.0kg/ctn
20'GP:127000pcs



Model No.:PJS08

High Precision Strain Gauge sensors system

Stainless steel platform:100x100mm

Capacity/Division: 100g/0.01g, 200g/0.01g, 500/0.01g

Unit: g, oz, ct, gn, ozt, dwt

Large LCD display size: 38x16mm with blue backlight

Double ABS cover

Auto Zero/Auto off

Overload and low battery indication

Power by 2X1.5V AAA batteries

Stong CLEAR cover to protect the load cell, platform



Product size:125x105x15mm
Color box size:160x130x32mm
Carton size:345x275x340mm
Qty/Ctn:40pcs
N.W.:12.0kg/ctn G.W.:13.5kg/ctn
20'GP:35000pcs

POCKET SCALE

Model No.:PJS01



High Precision Strain Gauge sensors system

Stainless steel platform:58x68mm

Capacity/Division: 100g/0.01g, 200g/0.01g, 600/0.01g

Unit: g, oz, ct, gn

Large LCD display size: 31x12mm with blue backlight

Counting function

Auto zero-Auto off

Overload and low battery indication

Power by 2X1.5V AAA batteries

Stong CLEAR cover to protect the load cell, platform

Product size:68x112x18mm

Color box size:70x125x23mm

Carton size:360x250x140mm

Qty/Ctn:50pcs

N.W.:6.0kg/ctn G.W.:7.5kg/ctn

20'GP:110000pcs

Model No.:PJS03

High Precision Strain Gauge sensors system

Stainless steel platform:75x65mm

Capacity/Division: 100g/0.01g, 200g/0.01g, 600/0.01g

Unit: g, oz, ct, gn

Counting function

Auto zero-Auto off

Overload and low battery indication

Power by 2X1.5V AAA batteries

Stong CLEAR cover to protect the load cell, platform

Easy calibration, with CAL button

Product size:128x75x18mm

Color box size:143x82x21mm

Carton size:440x240x160mm

Qty/Ctn:50pcs

N.W.:6.2kg/ctn G.W.:7.8kg/ctn

20'GP:82500pcs



Paibon AINICIA GROUP

◆ Professional Household Scale Supplier

Digital kitchen scale, bathroom scale, travel luggage scale, fishing scale, jewelry scale, baby scale, pets scale, talking scale and bluetooth scale, travel belt with lock etc.

◆ Over 18 years experience

to deal with all kinds of household scales.

◆ Main market

Europe, Americas, Australasia, Middle East, etc

◆ All products are compliant with local market requirements.

CE, RoHS, FCC etc basic requirement is no any problem.

◆ Production capacity:

Over 200000 units monthly.

◆ OEM or ODM projects are welcome!



PAIBON DEVELOPMENT CO., LTD
ZHONGSHAN PAIBON ELECTRONIC TECH. CO., LTD
AINICIA GROUP CO., LTD

Address: No.37-1 Industrial Avenue, Banfu Town, Zhongshan City, Guangdong Province, China

Tel: 86-760-8633 8260 Fax: 86-760-8693 8170

E-mail: nick@paibon.com

Web: www.paibonscale.com

www.paibon.com

www.ainicia-group.com